## Performance Tuning Using Log Files



Misi Mladoniczky

miz@rrr.se

UKRUG Presentation 2006-10-12

## Misi Mladoniczky

- 12 years of AR System development
- Remedy Approved Instructor since version 2.1
- RAC certified (former)
- · Founder of RRR Scandinavia AB www.rrr.se



## Performance Tuning - the typical approach

- · Limit table-scans and improve searches
  - QBE-anywhere
  - Unindexed Set-Fields/Push-fields in ACTL/FLTR/ESCL
  - Tune your DBMS so that it actually use your indexes
- Limit #fields and field size

•



## Performance Tuning - the typical approach

- Server before client
  - FLTR before ACTL
  - Use Set-Fields FLTR triggering on Get Entry instead of Set-Fields ACTL triggering on Display
  - Minimize Table-Refresh
  - Limit #fields included in the views

<del>-</del>

Attend the BMC Remedy Performance Tuning Class!



## Performance Tuning - prioritize!

- The application and workflow is where you want to focus. A bigger server or database is expensive and only a temporary solution.
- There are a lot of workflow objects
- Note that many things access ARS without being accessible through AR Admin
  - API-programs
  - Email-Engine
  - Various Plugins
- Focus on recurring events

Use the Log Files to find out where the server spends time!



# Log Files - do you use them?

- How many of you regularly use server Log Files?
- How many use ACTL Log Files?
- When do you use them?
- Problems with the Log Files
  - They can be huge
  - No 'grep' command in Windows
  - Hard to find recurring things
  - Duration of calls are not shown
  - SQL-rows has no end timestamp
- Need to know the AR API to understand them???



# Log Files - a single file

## API/ESCL/FLTR/SQL in the same file

- This gives you a chance to find the actual workflow that triggers an API- or SQL-call
- This gives you end timestamps for the SQL-calls (look at the following call of the same server thread)
- Use ACTL/API/FLTR/SQL logging from the client to investigate client side workflow



## API-calls that use a lot of Resources

#### **ARExport**

- Export of ARF/ARV files to the clients cache
- Called if form/field/menu/active-link has been changed for the form.
- Called if the User-record has been changed
- Called if ANY change has been made to the Group-form-data (except None-groups in version 7.x)

#### ARCreateEntry

 Creates an entry when user press Save, or when a Push-Fields has been issued

#### ARSetEntry

 Modifies an entry when a user press Save, or when a Push-Fields has been issued



## API-calls that use a lot of Resources

#### **ARGetEntry**

- Retrieves field data for a specific record
- When a user Displays a Request
- When an ACTL Set-Fields has found a record

#### **ARGetListEntry**

- An ACTL Set-Fields before the ARGetEntry-call that retrieves the field data
- An ACTL Push-Fields before the chosen record is created/changed with ARCreateEntry/ARSetEntry

#### ARGetListEntry-WithFields

- A user search with QBE or Advanced Search
- A table-field
- A Crystal-Report with no big character fields (AR System ODBC)



## API-calls that use a lot of Resources

#### **ARGetMultipleEntries**

- An plain text Report
- A Crystal-Report with big character fields

#### ARGetListSqlForActiveLink · ACTL direct SQL

#### **ARExecuteProcess**

- ACTL calls to the server with
  - Run-Process @@:
  - \$PROCESS\$ @@:



## Tools to assist you

- API/SQL Logs etc
  - arlogtmr from Remedy (community downloads)
  - Parse Log/PLOG www.mattreinfeldt.com
  - RRR Log from www.rrr.se (free for small log files)
- USER Logs
  - LogAnalysis www.mattreinfeldt.com
  - RRR License from www.rrr.se



An API-integration user used an unindexed field. The integration user use 53% of the system Resources!

Logfile Sta	rt		må dec	02 2002	13:04:10.7:	500 S	Show statistics on		
Logfile End	Logfile End			02 2002	<b>15:16:58</b> .3	120	API 🔻		
Seconds fr	Seconds from start to end					_	Group statistics by		
Total system time of api-calls (could be more than above with MPSO)			10179.	7		JUS	USER  Maxrows		
Number of	calls		115608	3			25		
api-calls pe	er second	start to e	nd <b>14.51</b>			_ (	Change settings		
api-calls per second system time 11.36									
Rownr	Systime	Sysperc	<u>Numcalls</u>	<u>Average</u>	<u>Maximum</u>	<u>Mînimum</u>	Samples	<u>User</u>	
1 54	26.3820	53.31%	7124	0.7617	35.4690	0.1250	<u>012345678</u>	9 icluser2	
2 5	38.9880	5.29%	20259	0.0266	14.0000	0.0310	012345678	9 p950mrg	
3 2	92.6140	2.87%	20724	0.0141	3.2960	0.0150	012345678	9 p803kro	



A Set-Fields ACTL has 0.4 second gap between the two API-calls even though the calls themselves execute very fast

AUTL-			ti jun 13 2006 14:41:42	Loaded
ACTL+			ti jun 13 2006 14:41:44	Query
/* ti jun 13 2006	14:41:44 */			
Start active link	processing Ope	ration -	On Query	
For Schema -	1:SPREntry			
On screen typ	oe - QUERY			
0004664554 List	390620	miz	ti jun 13 2006 08:42:02.9320 0	.0000 ARGetListEntry
0004664555 Fas	390620	miz	ti jun 13 2006 08:42:03.3220 0	.0000 ARGetEntry
Checking 1:Web	:LimitSearchIfCus	stomer (	0)	
-> Failed qual	ification			
Checking 1:Web	:LimitSearchIfSub	contra	ctor (0)	
-> Passed qu	alification perfo	rm <b>if</b> act	tions	
0: Set Field	s			
Subconta	actor workgroup	(536871	122) = ""	
/* ti jun 13 2006				
Stop active link	processing - On Q	)uery		
ACTL-			ti jun 13 2006 14:41:45	Query
ACTI+			ti inn 13 2006 14:41:49	Window Onen



# Which call to tune here? One takes 84 seconds to complete! They use the same amount of processing time!

Rownr	Systime	Sysperc	Numcalls	Average	<u>Maximum</u>	Minimum	Samples	SQL
1	84.6850	17.91%		84.6850	84.6850	84.6850	0	SELECT TOP nnn T512.C1,C536870960,T512.C1,C8,C536870
2	84.4780	17.87%	71	1.1898	1.3750	1.0940	0123456789	SELECT T604.C1,C536870915,C8,C536870917,C536870918,(
3	78.3720	16.57%	1	78.3720	78.3720	78.3720	<u>0</u>	BEGIN TRANSACTION  UPDATE T512 SET C536871028=nnn,C536870944='xxx',C536;  SELECT C536870986 FROM T512 WHERE C1 = 'xxx'  UPDATE T512 SET C536870986 = 'xxx' WHERE C1 = 'xxx'  SELECT C536870986 FROM T512 WHERE C1 = 'xxx'  Set LOB into the above row  SELECT C536870931 FROM T512 WHERE C1 = 'xxx'  UPDATE T512 SET C536870931 = 'xxx' WHERE C1 = 'xxx'  SELECT C536870931 FROM T512 WHERE C1 = 'xxx'  SELECT C536870931 FROM T512 WHERE C1 = 'xxx'  SELECT C536870931 FROM T512 WHERE C1 = 'xxx'
	00 00 40	G 0 407		0.4504	0.0400	0.0440		COMMIT TRANSACTION



### This system apparently runs some heavy escalations!

Number of calls 216501 api-calls per second start to end 74.50 api-calls per second system time 43.76

Rownr	Systime	<u>Sysperc</u>	<u>Numcalls</u>	<u>Average</u>	<u>Maximum</u>	<u>Minimum</u>	Samples	<u>Form</u>	<u>API</u>
1	921.3198	18.62%	59	15.6155	497.9070	0.0176	0123456789	MULTIPLE	ESCL:MULTIPLE
2	391.7223	7.92%	592	0.6616	51.9493	0.0023	<u>0123456789</u>	UB-Artikel	ARGetListEntryWithFields
3	386.1765	7.80%	144	2.6817	55.1343	0.0007	0123456789	<u>inIT</u>	ARGetListEntryWithFields
4	253.3403	5.12%	8674	0.0292	1.0269	0.0034	0123456789	<u>KUB</u>	ARMergeEntry
5	244.4989	4.94%	958	0.2552	10.2952	0.0665	<u>0123456789</u>	UB-Artikel	<u>ARSetEntry</u>
6	146.8848	2.97%	6756	0.0217	0.4682	0.0023	0123456789	<u>PÄR</u>	<u>ARGetEntry</u>



Thread ID 000000011

RPC ID 0000005590

Queue Fast Client-RPC 390620

User ADMIN-MISIM

Rownr	<i>Type</i>	<u>Timestamp</u>	<u>Delta</u>	<u>Details</u>
46	API	mån feb 06 2006 17:36:37.9045		+GE ARGetEntry schema AR System User Preference e
47	SQL	mån feb 06 2006 17:36:37.9056	0.0011	SELECT C1,C2,C3,C4,C5,C6,C7,C8,0,C20100,C20101,C20102,C2010: FROM T684 WHERE C1 = '000000000000001'
48	SQL	mån feb 06 2006 17:36:37.9355	0.0299	SELECT entryId,T0,U0,T1,U1,T2,U2,T3,U3,T4,U4 FROM
49	SQL	mån feb 06 2006 17:36:37.9377	0.0022	COMMIT WORK
50	FLTR	mån feb 06 2006 17:36:37.9384	0.0007	Start filter processing Operation - GET
51	FLTR			AR System User Preference - 0000000000000001
52	FLTR			Checking ARSystemUserPrefCustomCheck (500)
53	FLTR			> Passed perform actions
54	FLTR			0: Set Fields
55	FLTR			Custom Date Format (24003) =
56	FLTR			Custom Time Format (24015) =
57	FLTR	mån feb 06 2006 17:36:37.9391	0.0007	End of filter processing (phase 1)
58	FLTR	mån feb 06 2006 17:36:37.9392	0.0001	Restart of filter processing (phase 3)
59	FLTR	mån feb 06 2006 17:36:37.9393	0.0001	Stop filter processing
60	API	mån feb 06 2006 17:36:37.9399	0.0006	-GE OK
Total tin	ne of ca	11	0.0354	

Inspection of API, FLTR and SQL data



# The Essential tool for AR System Performance Tuning

- Try the demo version of RRR Log
- Download this presentation at www.rrr.se/doc
- Online and Offline versions are available
- Find many other tools and utilities at RRR Online

